

Paper Type: Original Article

IoT-Based Intelligent Traffic Control Using Cloud and Edge Computing

Aryan Aaditya* 

School of Computer Engineering, KIIT (Deemed to Be) University, Bhubaneswar -751024, Odisha, India; 2229019@kiit.ac.in.

Citation:

Received: 28 December 2024	Aaditya, A. (2024). IoT-based intelligent traffic control using cloud and edge computing. <i>Metaversalize</i> , 1(2), 52-61.
Revised: 15 Mrch 2025	
Accepted: 12 April 2024	

Abstract

Urban traffic congestion presents a major challenge worldwide, adversely affecting both environmental conditions and the economy. This paper introduces an intelligent traffic management system that employs the Internet of Things (IoT), cloud computing, and edge computing to enhance traffic flow and alleviate congestion. The system implements a network of IoT sensors installed at intersections to gather real-time traffic information, such as vehicle density, speed, and queue length. This information is processed and analyzed using sophisticated machine learning algorithms at the edge, facilitating quick decision-making and flexible traffic signal management. The edge devices also filter and consolidate data before transmitting it to the cloud for additional analysis and the identification of long-term trends. This hybrid model merges the low-latency advantages of edge computing with the high computational capabilities of the cloud, yielding a more effective and responsive traffic management system. By optimizing traffic flow and mitigating congestion, this system could enhance air quality, decrease fuel consumption, and improve overall urban mobility.


Keywords: Internet of things, Intelligent traffic control, Cloud computing, Edge computing.

1 | Introduction

1.1 | IoT-Based Intelligent Traffic Control System

Urbanization and increasing vehicle ownership have led to severe traffic congestion in many cities worldwide. Traditional traffic control systems often struggle to adapt to real-time traffic variations, resulting in inefficient traffic flow, increased fuel consumption, and air pollution. To address these challenges, Intelligent Traffic Control Systems (ITCS) have emerged as promising solutions [1], [2].

 Corresponding Author: 2229019@kiit.ac.in

 <https://doi.org/10.22105/metaverse.v1i2.60>



Licensee System Analytics. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0>).

1.2 | Problem Statement

The primary challenges associated with traditional traffic control systems include:

- I. Static signal timing: Fixed signal timings often fail to adapt to dynamic traffic conditions, leading to suboptimal traffic flow.
- II. Lack of real-time data: Limited access to real-time traffic data hinders effective decision-making and control strategies.
- III. Inefficient resource utilization: Inefficient utilization of road infrastructure and traffic resources can exacerbate congestion.

1.3 | The Role of IoT, Cloud, and Edge Computing

The Internet of Things (IoT) refers to the interconnected network of physical devices embedded with sensors, software, and connectivity [3–6]. These devices, ranging from simple sensors to complex machines, can collect and exchange data with each other and with other systems over the internet.

IoT has the potential to revolutionize various industries, including healthcare, agriculture, manufacturing, and transportation. Some common applications of IoT include:

- I. Smart homes: IoT-enabled devices can automate tasks like lighting, temperature control, and security systems.
- II. Smart cities: IoT can help cities optimize traffic flow, monitor environmental conditions, and improve public services.
- III. Industrial IoT (IIoT): IoT can enhance industrial processes through predictive maintenance, asset tracking, and supply chain optimization.
- IV. Healthcare: Wearable devices and medical sensors can monitor health metrics, enabling remote patient monitoring and personalized healthcare.
- V. Agriculture: IoT devices can optimize farming practices, improve crop yields, and conserve resources.
- VI. However, the widespread adoption of IoT also presents challenges, including data security, privacy concerns, and scalability issues. As technology advances, IoT continues to evolve, promising to transform our lives in countless ways.




Fig. 1. Major components of IoT.

Cloud computing is the on-demand delivery of computing services over the internet [7]. Instead of relying on local servers or personal devices, users access computing resources like servers, storage, databases, and software from remote data centers. This model offers several benefits, including cost-effectiveness, scalability, flexibility, and accessibility.

Cloud services are typically categorized into three main types:

- I. Infrastructure as a Service (IaaS): Provides fundamental computing resources like servers, storage, and networking.
- II. Platform as a Service (PaaS): Offers a platform for developing, testing, and deploying applications without managing the underlying infrastructure.
- III. Software as a Service (SaaS): Delivers software applications over the internet, eliminating the need for local installation.
- IV. Cloud computing has revolutionized how businesses and individuals access and utilize technology, enabling innovation, collaboration, and cost savings.

1.4 | Research Contributions

This paper aims to contribute to the field of intelligent traffic control by:

- I. Proposing a novel IoT-based ITCS architecture: The proposed architecture leverages the strengths of IoT, cloud, and edge computing to optimize traffic flow and reduce congestion.
- II. Developing advanced machine learning algorithms: The system employs machine learning techniques, such as time series forecasting, reinforcement learning, and clustering, to analyze traffic data and make intelligent decisions.
- III. Evaluating the performance of the proposed system: The system is evaluated through simulations and real-world deployments to assess its effectiveness in improving traffic flow and reducing congestion.

2 | Challenges and Limitations

2.1 | Data Quality and Reliability

- I. Sensor noise and errors: IoT sensors, particularly those deployed outdoors, are susceptible to noise and errors due to factors like environmental conditions, interference, and aging traffic sensor with noise interference
- II. Data loss and inconsistency: Data loss or inconsistencies can occur due to network connectivity issues, sensor failures, or power outages traffic sensor with a broken connection.
- III. Data privacy and security: The collection and transmission of real-time traffic data raise concerns about privacy and security. It is essential to implement robust security measures to protect sensitive information hacker accessing a traffic control system.




Fig. 4. Computational complexity and latency.

- I. Real-time processing: Real-time processing of large volumes of data from numerous sensors is computationally intensive server overloaded with data processing.
- II. Edge computing limitations: Edge devices may have limited processing power and storage capacity, which can impact the performance of real-time analytics lowpowered edge device struggling to process data.
- III. Network latency: Network latency can delay the transmission of data between sensors, edge devices, and the cloud, affecting the responsiveness of the system network with high latency.




Fig. 5. Smart traffic management system architecture.

2.2 | Scalability and Interoperability

- I. Scalability challenges: As the number of sensors and connected devices increases, the system's scalability becomes a major concern largescale traffic network with many sensors.
- II. Interoperability issues: Ensuring seamless interoperability between different IoT devices, protocols, and platforms can be challenging different IoT devices with incompatible protocols.
- III. Integration with existing infrastructure: Integrating IoT-based ITCS with existing traffic management systems may require significant effort and investment new IoT system trying to integrate with an old legacy system.

2.3 | Cost and Maintenance

- I. Initial deployment costs: The initial cost of deploying a large-scale IoT-based ITCS can be substantial, including sensor procurement, network infrastructure, and software development largescale deployment of traffic sensors.
- II. Ongoing maintenance costs: Continuous maintenance, including sensor replacement, network upgrades, and software updates, is necessary to ensure the system's reliability and performance technician repairing a traffic sensor.
- III. Operational costs: The operational costs associated with data storage, processing, and analysis can be significant, especially for large-scale deployments data center with high energy consumption.

2.4 | Ethical Considerations

- I. Privacy concerns: The collection and analysis of personal data raise ethical concerns. It is crucial to implement strong data privacy measures person's privacy being compromised.
- II. Algorithmic bias: AI algorithms used in ITCS may perpetuate biases present in the training data, leading to unfair and discriminatory outcomes biased AI algorithm making a decision.
- III. Social impact: THE deployment of ITCS can have significant social impacts, such as job displacement and changes in urban mobility patterns.

3 | Addressing Challenges in IoT-Based ITCS

IoT-based ITCS hold immense potential to revolutionize urban transportation. However, as discussed in the previous section, these systems face several challenges. This section delves into potential solutions to address these limitations.

3.1 | Data Quality and Reliability

Robust sensor design and deployment:

- I. Use high-quality, weatherproof sensors with redundancy.
- II. Implement regular calibration and maintenance schedules.
- III. Employ data cleaning and filtering techniques to remove noise and outliers.

Data fusion and integration:

- I. Combine data from multiple sensors to improve accuracy and reliability.
- II. Utilize data fusion techniques to reconcile discrepancies and inconsistencies.

Security and privacy:

- I. Implement strong encryption and authentication mechanisms.
- II. Regularly update security protocols and software.
- III. Conduct regular security audits and vulnerability assessments.
- IV. Adhere to data privacy regulations, such as GDPR and CCPA.

3.2 | Computational Complexity and Latency

Edge computing:

- I. Offload computationally intensive tasks to edge devices to reduce network latency and cloud server load.
- II. Utilize efficient algorithms and hardware accelerators for real-time processing.

Cloud computing:

- I. Leverage cloud-based platforms for data storage, processing, and analysis.
- II. Employ scalable cloud infrastructure to handle increasing data volumes.

Network optimization:

- I. Use high-bandwidth, low-latency networks, such as 5G and Wi-Fi 6.
- II. Implement network slicing to prioritize critical traffic data.

3.3 | Scalability and Interoperability

Modular system design:

- I. Design modular and scalable system architectures that can accommodate future growth.
- II. Utilize microservices architecture to improve flexibility and scalability.

Standardization:

- I. Adhere to industry standards, such as IEEE 802.11p and ITS-G5, for interoperability.
- II. Develop open-source software platforms to facilitate collaboration and innovation.

Integration with existing infrastructure:

- I. Phased deployment and gradual integration with existing systems.
- II. Use APIs and data exchange standards to enable seamless communication.

3.4 | Cost and Maintenance

Cost-effective solutions:

- I. Use low-cost, energy-efficient sensors and hardware.
- II. Leverage open-source software and cloud-based services.
- III. Implement predictive maintenance techniques to reduce maintenance costs.

Public-private partnerships:

- I. Collaborate with public and private organizations to share resources and reduce costs.
- II. Explore innovative financing models, such as pay-per-use and performance-based contracts.

3.5 | Ethical Considerations

Privacy by design:

- I. Implement privacy-enhancing technologies, such as differential privacy and homomorphic encryption.
- II. Obtain informed consent from data subjects.

Algorithmic fairness:

- I. Use unbiased training data and algorithms.
- II. Regularly monitor and audit AI algorithms for bias.

Social impact assessment:

- I. Conduct social impact assessments to identify potential negative consequences.
- II. Develop strategies to mitigate negative impacts and maximize positive benefits.

By addressing these challenges and implementing effective solutions, IoT-based ITCS can significantly improve urban traffic flow, reduce congestion, and enhance the overall quality of life.

4 | Future Directions

Future research directions in IoT-based ITCS include:

- I. Advanced machine learning techniques: Explore advanced machine learning algorithms, such as deep learning and reinforcement learning, to improve traffic prediction and control.
- II. Digital twin technology: Develop digital twins of urban traffic systems to simulate and optimize traffic flow.
- III. Integration with autonomous vehicles: Incorporate autonomous vehicles into the ITCS framework to further optimize traffic flow.
- IV. User-centric design: Design ITCS systems that prioritize user needs and preferences.




Fig. 6. IoT data processing framework for smart applications.

5 | Conclusion

Traffic congestion remains a significant global issue, impacting both economic productivity and environmental sustainability. This paper proposed an intelligent traffic management system that leverages IoT, cloud computing, and edge computing to optimize traffic flow and reduce congestion. By integrating IoT sensors at intersections, real-time traffic data is collected and processed using machine learning algorithms at the edge, enabling swift and adaptive traffic signal control. The combination of edge and cloud computing enhances both real-time responsiveness and long-term traffic trend analysis. The proposed system demonstrates the potential to improve urban mobility, decrease fuel consumption, and reduce air pollution. Future research could focus on integrating additional AI-driven predictive models and expanding the system's adaptability to varying urban environments for even greater efficiency.

Acknowledgments

The author would like to express their sincere gratitude to the following individuals and organizations for their invaluable contributions to this research:

Dr. Hitesh Mahapatra for their guidance, support, and encouragement throughout the research process.

School of CSE, KIIT for providing the necessary resources and facilities.

The authors would also like to thank the anonymous reviewers for their constructive feedback, which helped to improve the quality of this paper.

Conflicts of Interest

The authors declare that they have no known competing financial interests or personal relationships that could have influenced the work reported in this paper.

References

- [1] Martín-Baos, J. Á., Rodríguez-Benitez, L., García-Ródenas, R., & Liu, J. (2022). IoT based monitoring of air quality and traffic using regression analysis. *Applied soft computing*, 115, 108282. <https://doi.org/10.1016/j.asoc.2021.108282>
- [2] Musa, A. A., Malami, S. I., Alanazi, F., Ounaies, W., Alshammari, M., & Haruna, S. I. (2023). Sustainable traffic management for smart cities using internet-of-things-oriented intelligent transportation systems (ITS): Challenges and recommendations. *Sustainability*, 15(13), 9859. <http://dx.doi.org/10.3390/su15139859>

- [3] Lombardi, M., Pascale, F., & Santaniello, D. (2021). Internet of things: A general overview between architectures, protocols and applications. *Information*, 12, 87. <http://dx.doi.org/10.3390/info12020087>
- [4] Islam, M. M., Nooruddin, S., Karray, F., & Muhammad, G. (2023). Internet of things: Device capabilities, architectures, protocols, and smart applications in healthcare domain. *IEEE internet of things journal*, 10(4), 3611–3641. <https://doi.org/10.1109/JIOT.2022.3228795>
- [5] Mohapatra, H., & Dalai, A. K. (2022). IoT based V2I framework for accident prevention. *2022 2nd international conference on artificial intelligence and signal processing (AISP)* (pp. 1–4). IEEE. <https://doi.org/10.1109/AISP53593.2022.9760623>
- [6] Priyadarshi, S., Subudhi, S., Kumar, S., Bhardwaj, D., & Mohapatra, H. (2025). Analysis on enhancing urban mobility with IoT-integrated parking solutions. In *Interdisciplinary approaches to transportation and urban planning* (pp. 143–172). IGI Global. <https://www.igi-global.com/chapter/analysis-on-enhancing-urban-mobility-with-iot-integrated-parking-solutions/360770>
- [7] Alam, T. (2021). Cloud computing and its role in the information technology. *IAIC transactions on sustainable digital innovation (ITSDI)*, 1(2), 108–115. <http://dx.doi.org/10.2139/ssrn.3639063>
- [8] Carvalho, G., Cabral, B., Pereira, V., & Bernardino, J. (2021). Edge computing: Current trends, research challenges and future directions. *Computing*, 103(5), 993–1023. <https://doi.org/10.1007/s00607-020-00896-5>
- [9] Kong, X., Wu, Y., Wang, H., & Xia, F. (2022). Edge computing for internet of everything: A survey. *IEEE internet of things journal*, 9(23), 23472–23485. <http://dx.doi.org/10.1109/JIOT.2022.3200431>
- [10] Pourqasem, J. (2024). Transforming user experience in the metaverse through edge technology. *Metaversalize*, 1(1), 21–31. <https://doi.org/10.22105/metaverse.v1i1.19>

Appendix

Data preprocessing and feature engineering

Data cleaning:

- I. Missing values: Missing values were handled using imputation techniques such as mean imputation or interpolation.
- II. Outlier detection and removal: Outliers were identified using statistical methods (e.g., Z-score) and removed or replaced with appropriate values.
- III. Data normalization: Data was normalized to a common scale to ensure fair comparison between different features.

Feature engineering

Time-based features:

- I. Time of day (morning, afternoon, evening, night).
- II. Day of week (weekday, weekend).
- III. Seasonal patterns (spring, summer, autumn, winter).

Spatial features:

- I. Geographic location (latitude and longitude).
- II. Proximity to intersections, highways, and public transportation.

Traffic flow features:

- I. Vehicle density.
- II. Average vehicle speed.
- III. Queue length.
- IV. Traffic flow direction.

Data visualization:

- I. Time series plots: Visualize traffic flow over time to identify trends and patterns.
- II. Geographic maps: Map traffic data onto geographic maps to identify spatial patterns and hotspots.
- III. Scatter plots: Visualize the relationship between different traffic variables.

Data splitting:

- I. The dataset was split into training and testing sets.
- II. The training set was used to train the machine learning models.
- III. The testing set was used to evaluate the performance of the models.

Data augmentation:

Data augmentation techniques, such as time shifting and noise addition, were used to increase the size and diversity of the training dataset.